

To: StClair, Christie[StClair.Christie@epa.gov]
Cc: Grantham, Nancy[Grantham.Nancy@epa.gov]
From: Peterson, Cynthia
Sent: Wed 11/4/2015 4:45:05 PM
Subject: RE: Interim Water Treatment Plant for GKM FW: Alexon - Proposal for Gold King Mine _
Redacted
FW: Initial Administrative Record file for the Gold King Mine Release Site

It was submitted by Mark Esper, editor (see original request attached).

Cynthia Peterson

Community Involvement Coordinator

Public Affairs and Community Involvement

U.S. Environmental Protection Agency, Region VIII

1595 Wynkoop St. (8OC-PAI)

Denver, CO 80202-1129

303-312-6879 -- direct dial

From: StClair, Christie
Sent: Wednesday, November 04, 2015 8:33 AM
To: Peterson, Cynthia
Cc: Grantham, Nancy
Subject: RE: Interim Water Treatment Plant for GKM FW: Alexon - Proposal for Gold King
Mine _ Redacted

I'll take a look, Cynthia. Which writer put in the request?

Christie St. Clair

Office of Public Affairs

Environmental Protection Agency

Washington, DC

o: 202-564-2880

m: 202-768-5780

From: Peterson, Cynthia

Sent: Wednesday, November 04, 2015 8:38 AM

To: StClair, Christie <StClair.Christie@epa.gov>

Cc: Grantham, Nancy <Grantham.Nancy@epa.gov>

Subject: FW: Interim Water Treatment Plant for GKM FW: Alexon - Proposal for Gold King Mine _ Redacted

Hi, Christie.

The Silverton Standard requested a schematic of the water treatment plant at Gladstone. David provided this redacted copy of the Alexon Proposal that has a schematic included. Can you send this to him with the caveats David included in his email regarding the general nature of the layout?

Thanks,

Cynthia

Cynthia Peterson

Community Involvement Coordinator

Public Affairs and Community Involvement

U.S. Environmental Protection Agency, Region VIII

1595 Wynkoop St. (8OC-PAI)

Denver, CO 80202-1129

303-312-6879 -- direct dial

From: Ostrander, David

Sent: Tuesday, November 03, 2015 2:04 PM

To: Peterson, Cynthia

Subject: FW: Interim Water Treatment Plant for GKM FW: Alexon - Proposal for Gold King Mine _ Redacted

The proposal attached has a schematic diagram. I'm not sure if this reflects the as built construction or not. It is a fairly general layout diagram. I had trouble before copying it from the pdf file.

From: Braun, Richard

Sent: Tuesday, September 29, 2015 8:03 AM

To: Ostrander, David

Cc: Boydston, Michael; Mills, Bethany; Williams, Laura; Sandoval, Joni

Subject: Interim Water Treatment Plant for GKM FW: Alexon - Proposal for Gold King Mine _ Redacted

David,

Our prime contractor, ER, has provided a redacted copy of the proposal from their subcontractor Alexco. I recommend that you clear any public release of information with FOIA or Mike Boydston.

FYI, I am still waiting for contractor(ER) to provide a redacted copy of the rest of the subcontract.

Richard Braun

EPA Region 8

Contracting Officer

303-312-6380

braun.richard@epa.gov

From: Marilyn Smith [<mailto:m.smith@erllc.com>]

Sent: Monday, September 28, 2015 4:35 PM

To: Braun, Richard; Mills, Bethany


Subject: Alexco - Proposal for Gold King Mine _ Redacted

Marilyn Smith

Program Manager

Environmental Restoration LLC

<http://www.erllc.com/>



Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.